Sunshade with Standard Color - Valspar Fluropon Pure by Industrial Louvers Inc.

Health Product Declaration v2.1

CLASSIFICATION: 107113

created via: HPDC Online Builder

PRODUCT DESCRIPTION: ILI's sunshades are assemblies of aluminum extrusions, fastened with stainless steel fasteners and finished with a factory-applied Kynar finish. As the products are custom-sized, we have selected a typical sample size for purposes of this disclosure document. This HPD is based on an assembly with 6" airfoil blades and 1/4" x 6" outriggers.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format Nested Materials Method Basic Method Threshold Disclosed Per Material Product	Threshold level 100 ppm 1,000 ppm Per GHS SDS	Residuals/Impurities Residuals/Impurities Considered in 3 of 4 Materials	Are All Substances Above the Threshold Indicate Characterized Percent Weight and Role Provided? Yes C	
	Per OSHA MSDS Other	Explanation(s) provided for Residuals/Impurities? • Yes • No	Screened Using Priority Hazard Lists with Results Disclosed?	• Yes • No
			Identified Name and Identifier Provided?	• Yes • No

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

6063 ALUMINUM EXTRUSION [6063 ALUMINUM (6063 ALUMINUM) LT-P1 | RES | END | PHY | 6061 ALUMINUM FLAT BAR | 6061 ALUMINUM (6061 ALUMINUM) LT-P1 | RES | END | PHY] FLUROPON PURE - EXTRUSION [POLYVINYLIDENE FLUORIDE (1,1-DIFLUOROETHENE HOMOPOLYMER) LT-UNK TITANIUM DIOXIDE LT-1 | CAN | END ACRYLIC RESIN NoGS 2,2,4-TRIMETHYL-1,3-PENTANEDIOL DIISOBUTYRATE LT-P1 | END BARIUM SULFATE BM-2 | CAN ACRYLIC-MELAMINE RESIN NoGS TRIPHOSPHORIC ACID, ALUMINUM SALT LT-UNK STRONTIUM CARBONATE LT-UNK SILICA, AMORPHOUS LT-P1 | CAN ALUMINIUM HYDROXIDE OXIDE LT-UNK WOLLASTONITE LT-UNK ZINC 5-NITROISOPHTHALATE LT-UNK ALUMINA TRIHYDRATE BM-2 | RES CELLULOSE ACETATE BUTANOATE, AVERAGE MOLECULAR WEIGHT 15000 - 65000 G/MOL LT-UNK FUMED SILICA CRYSTALLINE-FREE LT-UNK IRON HYDROXIDE OXIDE YELLOW LT-UNK CHROMIUM IRON OXIDE LT-UNK CHROMIUM (III) OXIDE LT-P1 FERRIC OXIDE BM-2 | CAN CARBON BLACK LT-1 | CAN C.I. PIGMENT BLUE 28 LT-UNK 5,12-DIHYDROQUINO(2,3-B)ACRIDINE-7,14-DIONE LT-UNK PHTHALOCYANINE GREEN LT-UNK 5,12-DIHYDROQUINO(2,3-B)ACRIDINE-7,14-DIONE LT-UNK BISMUTH VANADIUM TETRAOXIDE LT-P1 | MUL C.I. PIGMENT BLUE 15 BM-3 PYRROLO[3,4-C]PYRROLE-1,4-DIONE,3,6-BIS(4-CHLOROPHENYL)-2,5-DIHYDRO- LT-UNK C.I. PIGMENT GREEN 50 LT-1 | RES | CAN | GEN RUTILE, ANTIMONY CHROMIUM BUFF LT-UNK C.I. PIGMENT BLACK 28 LT-UNK C.I. PIGMENT BLUE 36 LT-UNK HEMATITE, CHROMIUM GREEN BLACK LT-UNK MOLYBDATE (MOO42#-), CALCIUM (1:1), (T-4)- LT-UNK NICKEL RUTILE YELLOW LT-UNK 2-(2-BUTOXYETHOXY)ETHANOL LT-P1 | EYE | END | 18-8 TYPE 304 STAINLESS FASTENERS [304 STAINLESS STEEL (304 STAINLESS STEEL) NoGS]

Number of Greenscreen BM-4/BM3 contents 1
Contents highest concern GreenScreen
Benchmark or List translator ScoreLT-1
Nanomaterial No

INVENTORY AND SCREENING NOTES:

Residual materials were considered separately. Possible residuals include a prewash and pre-treatment for aluminum extrusions. Both of these are rinsed off prior to painting. As we cannot measure any residual amount we assumed that none of the substances are washed off. When reported to 1000ppm none of these residuals are present. Residuals may be present in 100ppm, but any residual material would also be encapsulated under the coating. Sunshades are custom products. A typical sunshade was used for the purpose of this HPD. Substances and materials are the same regardless of configuration. Likewise, all colors have been included. Pigments are included as possible materials in minimum to maximum possible ranges.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: N/A

Multi-attribute: ILFI Declare - Red List Free

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified? PREPARER: Self-Prepared

VERIFIER: VERIFICATION #:

SCREENING DATE: 2017-09-26 PUBLISHED DATE: 2017-10-13 EXPIRY DATE: 2020-09-26

C Yes No

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- · Nested Material Inventory method with Product-level threshold
- · Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

6063 ALUMINUM EXTRUSION

%: 88.2351 - 88.2351

HPD URL: No HPD Available

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Aluminum extrusions are washed and pre-treated before painted. Residuals are added as separate material ingredients.

OTHER MATERIAL NOTES: 6063 aluminum extrusions are used for sunshade blades and fascia.

6063 ALUMINUM (6063 ALUMINUM)

ID: 7429-90-5

%: 100.0000 - 100.0000	GS: LT-P1	RC: Both	nano: No	ROLE: Extruded Aluminum Blades
HAZARDS:	AGENCY(IES) WITH W	ARNINGS:		
RESPIRATORY	AOEC - Asthmaç	jens		Asthmagen (ARs) - sensitizer-induced - inhalable forms only
ENDOCRINE	TEDX - Potential	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disruptor
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Sta	EU - GHS (H-Statements)		H228 - Flammable solid
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Sta	EU - GHS (H-Statements)		H250 - Catches fire spontaneously if exposed to air
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Sta	itements)		H261 - In contact with water releases flammable gases

SUBSTANCE NOTES: Potential residuals for the aluminum extrusions include pre-wash and pre-treat chemicals that ensure paint adhesion. The maximum amount of residual material was considered and is less than 1000ppm. Residuals present at 100ppm would be encapsulated in cured finish. Aluminum extrusions include both pre-and post-consumer recycled content as well as virgin material. Amounts of each vary by lot.

6061 ALUMINUM FLAT BAR

%: 10.7659 - 10.7659

HPD URL: No HPD Available

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities from wash and pre-treatment process are included as substances.

OTHER MATERIAL NOTES: 6061 aluminum is used for sunshade outriggers.

6061 ALUMINUM (6061 ALUMINUM)

ID: **7429-90-5**

%: 100.0000 - 100.0000	GS: LT-P1	GS: LT-P1 RC: Both NANO: No		ROLE: Aluminum flat bar outriggers
HAZARDS:	AGENCY(IES) WITH	WARNINGS:		
RESPIRATORY	AOEC - Asthmagens Asthmagen (ARs) - sensitizer-induced - inhalab		Asthmagen (ARs) - sensitizer-induced - inhalable forms only	

ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H228 - Flammable solid
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H250 - Catches fire spontaneously if exposed to air
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H261 - In contact with water releases flammable gases

SUBSTANCE NOTES: Potential residuals for the aluminum extrusions include pre-wash and pre-treat chemicals that ensure paint adhesion. The maximum amount of residual material was considered and is less than 1000ppm. Residuals present at 100ppm would be encapsulated in cured finish. Aluminum extrusions include both pre-and post-consumer recycled content as well as virgin material. Amounts of each vary by lot.

FLUROPON

EXTRUSION

%:

HPD URL: https://hpdrepository.hpd-

PURE -0.9531 -

collaborative.org/repository/HPDs/publish_58_Fluropon_Pure_Extrusion_1476885924.pdf

0.9531

PRODUCT THRESHOLD:

RESIDUALS AND IMPURITIES CONSIDERED: Yes

1000 ppm

RESIDUALS AND IMPURITIES NOTES: Material Notes: Fluropon Pure Extrusion Coating System. HPD represents the coating system as applied after curing/baking including 732X1023FP primer and Fluropon Pure topcoat. This HPD represents all possible topcoat colors. Pigments may or may not be present in any one given color. • The total coating system weight as applied on the metal substrate is 0.017lbs/ft2.

OTHER MATERIAL NOTES: The pigments included in this HPD include thousands of possible colors, and include all standard and most custom colors.

POLYVINYLIDENE FLUORIDE (1,1-DIFLUOROETHENE HOMOPOLYMER)

ID: 24937-79-9

%: 26.9400 - 32.9300	GS: LT-UNK	RC: None	nano: No	ROLE: Polymer
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
None Found	No warnings found on HPD Priority lists			
SUBSTANCE NOTES: This subst	ance is present in all finish color options.			

TITANIUM DIOXIDE ID: 13463-67-7

%: 12.0400 - 18.9400	GS: LT-1 RC: None	NANO: No ROLE: Pigment
HAZARDS:	AGENCY(IES) WITH WARNINGS:	
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor

SUBSTANCE NOTES: SUBSTANCE NOTES: From IARC Monograph 93 (http://monographs.iarc.fr/ENG/Monographs/vol93/mono93.pdf), p. 274: "No significant exposure to titanium dioxide is thought to occur during the use of products in which titanium dioxide is bound to other materials, such as in paints." The Office of Environmental Health Hazard Assessment (OEHHA) within the California Environmental Protection Agency is adding titanium dioxide (airborne, unbound particles of respirable size) to the list of chemicals known to the State of California to cause cancer for purposes of the Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65). However, the listing does not cover titanium dioxide when it remains bound within a product matrix. In this product's final cured film exposure is extremely unlikely since it is embedded in a solid, continuous polymer matrix and thus no longer exists as isolated particles.

 ACRYLIC RESIN

 %: 9.7700 - 11.9500
 GS: NoGS
 RC: None
 NANO: No
 ROLE: Resin

 HAZARDS:
 AGENCY(IES) WITH WARNINGS:

 None Found
 No warnings found on HPD Priority lists

2,2,4-TRIMETHYL-1,3-PENTANEDIOL DIISOBUTYRATE

ID: 6846-50-0

%: 6.7700 - 8.2700	GS: LT-P1	RC: None	NANO: No	ROLE: Plasticizer
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
ENDOCRINE	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disruptor	

SUBSTANCE NOTES: This substance is present in all finish color options but exact amount varies within the range provided.

SUBSTANCE NOTES: This substance is present in all finish color options but exact amount varies within the range provided.

BARIUM SULFATE ID: 7727-43-7

%: 6.4000 - 7.8200	GS: BM-2	RC: None	nano: No	ROLE: Extender
HAZARDS:	AGENCY(IES) WITH WARNINGS	:		
CANCER	MAK		Carcinogen Group 4 - Non-genotoxic carcinogen with lo under MAK/BAT levels	

SUBSTANCE NOTES: This substance is present in all finish color options but exact amount varies within the range provided.

ACRYLIC-MELAMINE RESIN ID: 1947341-00-5

%: 1.0600 - 1.3000	GS: NoGS	RC: None	nano: No	ROLE: Resin	
HAZARDS:	AGENCY(IES) WITH WARNINGS:				
None Found	No warnings found on HPD Priority lists				

SUBSTANCE NOTES: This substance is present in all finish color options but exact amount varies within the range provided.

%: 1.0600 - 1.3000	gs: LT-UNK	RC: None	nano: No	ROLE: Extender	
HAZARDS:	AGENCY(IES) WITH WARNINGS:				
None Found	No warnings found on HPD	Priority lists			

STRONTIUM CARBONATE					
%: 0.8500 - 1.0400	GS: LT-UNK	RC: None	nano: No	ROLE: Extender	
HAZARDS:	AGENCY(IES) WITH WARNING	S:			

None Found No warnings found on HPD Priority lists

SUBSTANCE NOTES: This substance is present in all finish color options but exact amount varies within the range provided.

SUBSTANCE NOTES: This substance is present in all finish color options but exact amount varies within the range provided.

SILICA, AMORPHOUS ID: 7631-86-9

%: 0.8000 - 1.0500	GS: LT-P1	RC: None	nano: No	ROLE: Extender
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
CANCER	Japan - GHS		Carcinogenicity - Category 1A	
				,

SUBSTANCE NOTES: This substance is present in all finish color options but exact amount varies within the range provided.

ALUMINIUM HYDROXIDE OXIDE

%: 0.7200 - 0.9100	GS: LT-UNK	RC: None	nano: No	ROLE: Pigment		
HAZARDS:	AGENCY(IES) WITH WARNING	AGENCY(IES) WITH WARNINGS:				
None Found	No warnings found on HPD Priority lists					

SUBSTANCE NOTES: This substance is present in all finish color options but exact amount varies within the range provided.

WOLLASTONITE ID: 13983-17-0

%: 0.6400 - 0.7800	GS: LT-UNK	RC: None	nano: No	ROLE: Extender	
HAZARDS:	AGENCY(IES) WITH WARNINGS:				
None Found	No warnings found on HPD Priority lists				

SUBSTANCE NOTES: This substance is present in all finish color options but exact amount varies within the range provided.

ZINC 5-NITROISOPHTHALATE ID: 60580-61-2

%: 0.6400 - 0.7800	gs: LT-UNK	RC: None	nano: No	ROLE: Extender			
HAZARDS:	AGENCY(IES) WITH WARNING	AGENCY(IES) WITH WARNINGS:					
None Found	No warnings found on	No warnings found on HPD Priority lists					
SUBSTANCE NOTES: This substance is present in all finish color options but exact amount varies within the range provided.							

ALUMINA TRIHYDRATE ID: 21645-51-2

%: 0.6200 - 1.0500	GS: BM-2	RC: None	NANO: No	ROLE: Extender
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
RESPIRATORY	AOEC - Asthmagens		Asthmagen (ARs) - sensitizer-induced - inhalable forms on	

SUBSTANCE NOTES: This substance is present in all finish color options but exact amount varies within the range provided.

CELLULOSE ACETATE BUTANOATE, AVERAGE MOLECULAR WEIGHT 15000 - 65000 G/MOL

ID: 9004-36-8

%: 0.2900 - 0.3500	GS: LT-UNK	RC: None	nano: No	ROLE: resin
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
None Found	No warnings found on HPD Priority lists			

SUBSTANCE NOTES: This substance is present in all finish color options but exact amount varies within the range provided.

FUMED SILICA, CRYSTALLINE-FREE

ID: 112945-52-5

%: 0.1800 - 0.2200	GS: LT-UNK	RC: None	nano: No	ROLE: Extender		
HAZARDS:	AGENCY(IES) WITH WARNINGS:					
None Found	No warnings found on HF	No warnings found on HPD Priority lists				
SUBSTANCE NOTES: This substance is present in all finish color options but exact amount varies within the range provided.						

IRON HYDROXIDE OXIDE YELLOW

ID: **20344-49-4**

%: 0.1200 - 16.4500	GS: LT-UNK	RC: None	nano: No	ROLE: Pigment	
HAZARDS:	AGENCY(IES) WITH WARNINGS:				
None Found	No warnings found on HPD Priority lists				

SUBSTANCE NOTES: This substance is present in all finish color options but exact amount varies within the range provided.

CHROMIUM IRON OXIDE ID: 12737-27-8

%: 0.0000 - 24.2800	GS: LT-UNK	RC: None	NANO: No	ROLE: Pigment		
HAZARDS:	AGENCY(IES) WITH WARNING	AGENCY(IES) WITH WARNINGS:				
None Found	No warnings found on	No warnings found on HPD Priority lists				
SUBSTANCE NOTES: Optional pigment. Only present in certain color options.						

CHROMIUM (III) OXIDE ID: 1308-38-9

%: 0.0000 - 20.9600	GS: LT-P1	RC: None	NANO: No	ROLE: Pigment		
HAZARDS:	AGENCY(IES) WITH WARNII	AGENCY(IES) WITH WARNINGS:				
None Found	No warnings found o	No warnings found on HPD Priority lists				
SUBSTANCE NOTES: Optional pigment. Only present in certain color options.						

FERRIC OXIDE ID: 1309-37-1

%: 0.0000 - 21.8000	GS: BM-2	RC: None	nano: No	ROLE: Pigment
HAZARDS:	AGENCY(IES) WITH WARNING	GS:		
CANCER	MAK		Carcinogen Group 3B - Evidence of carcinogenic effects sufficient for classification	

SUBSTANCE NOTES: Optional pigment. Only present in certain color options.

CARBON BLACK ID: 1333-86-4

%: 0.0000 - 7.0400	GS: LT-1	RC: None	nano: No	ROLE: Pigment		
HAZARDS:	AGENCY(IES) WITH WA	ARNINGS:				
CANCER	US CDC - Occup	US CDC - Occupational Carcinogens		Occupational Carcinogen		
CANCER	MAK	MAK		Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification		
CANCER	CA EPA - Prop 6	CA EPA - Prop 65		ic to chemical form or exposure route		
CANCER	IARC	IARC		carcinogenic to humans - inhaled from		

SUBSTANCE NOTES: Optional pigment. Only present in certain color options. From IARC Monograph 93

(http://monographs.iarc.fr/ENG/Monographs/vol93/mono93.pdf), p.63: "Operators in user industries who handle fluffy or pelleted carbon black during rubber, paint and in production are expected to have significantly lower exposures to carbon black than workers in carbon black production. Other workers in user industries who handle it occasionally have little opportunity for exposure. End-users of these products (rubber, ink or paint)

C.I. PIGMENT BLUE 28

%: 0.0000 - 19.0000

GS: LT-UNK

RC: None

NANO: No

ROLE: Pigment

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

5,12-DIHYDROQUINO(2,3-B)ACRIDINE-7,14-DIONE

SUBSTANCE NOTES: Optional pigment. Only present in certain color options.

ID: 1047-16-1

%: 0.0000 - 7.4532	GS: LT-UNK	RC: None	nano: No	ROLE: Pigment
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
None Found	No warnings found on HPD Priority lists			

SUBSTANCE NOTES: Optional material based on color.

PHTHALOCYANINE GREEN ID: 1328-53-6

%: 0.0000 - 4.7000	GS: LT-UNK	RC: None	nano: No	ROLE: Pigment
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
None Found	No warnings found on HPD Priority lists			

SUBSTANCE NOTES: Optional pigment. Only present in certain color options.

SUBSTANCE NOTES: This is an optional pigment only present in certain color options.

5,12-DIHYDROQUINO(2,3-B)ACRIDINE-7,14-DIONE

ID: 1047-16-1

%: 0.0000 - 7.8200	GS: LT-UNK	RC: None	nano: No	ROLE: Pigment
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
None Found	No warnings found on HPD Priority lists			

BISMUTH VANADIUM TETRAOXIDE

ID: 14059-33-7

%: 0.0000 - 16.5700	GS: LT-P1	RC: None	nano: No	ROLE: Pigment
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
MULTIPLE	German FEA - Substances Hazardous to Waters		Class 3 - Severe Hazard	to Waters

C.I. PIGMENT BLUE 15 ID: 147-14-8

%: 0.0000 - 3.3300	GS: BM-3	RC: None	nano: No	ROLE: Pigment
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
None Found	No warnings found on HPD Priority lists			

PYRROLO[3,4-C]PYRROLE-1,4-DIONE,3,6-BIS(4-CHLOROPHENYL)-2,5-DIHYDRO-

SUBSTANCE NOTES: Optional pigment. Only present in certain color options.

SUBSTANCE NOTES: Optional pigment. Only present in certain color options.

C.I. PIGMENT GREEN 50

ID: 84632-65-5

ID: 68186-85-6

%: 0.0000 - 6.9500	GS: LT-UNK	RC: None	nano: No	ROLE: Pigment
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
None Found	No warnings found on HPD Priority lists			

%: 0.0000 - 20.0800	GS: LT-1	RC: None	nano: No	ROLE: Pigment		
HAZARDS:	AGENCY(IES) WITH WARNING	AGENCY(IES) WITH WARNINGS: AOEC - Asthmagens				
RESPIRATORY	AOEC - Asthmagens			ly accepted		
CANCER	IARC	IARC		nogenic to humans		
CANCER	CA EPA - Prop 65	CA EPA - Prop 65		Carcinogen		
CANCER	US CDC - Occupationa	US CDC - Occupational Carcinogens		Occupational Carcinogen		
RESPIRATORY	AOEC - Asthmagens		Asthmagen (ARs) - sensitizer-induced - inhalable forms only			
CANCER	MAK		Carcinogen Group 1 - Substances that cause cancer in man			
CANCER	MAK		Carcinogen Group 2 - Considered to be carcinogenic for man			
RESPIRATORY	MAK		Sensitizing Substance Sah - Danger of airway & skin sensitization			
GENE MUTATION	MAK		Germ Cell Mutagen 3a			

SUBSTANCE NOTES: SUBSTANCE NOTES: Optional pigment. Only present in certain color options. CI Pigment Green 50 (aka Cobalt titanite green spinel) is produced by high temperature calcination of a mixture of oxides of Co and Ti in varying amounts to form a crystalline matrix of inverse spinel. Due to its unique crystalline structure the properties of this pigment do not necessarily reflect the properties of the component metals or oxides. Further, the pigment is of negligible water solubility and bioavailability (under no foreseeable conditions are metal ions able to be released from the crystalline structure). And finally, in the final cured film exposure is extremely unlikely since it is embedded in a solid, continuous polymer matrix and thus no longer exists as isolated particles.

	RUTILE, ANTIMONY CHROMI	MIUM BUFF ID: 68186-90-3				
	%: 0.0000 - 19.9200	GS: LT-UNK	RC: None	nano: No	ROLE: Pigment	
	HAZARDS:	AGENCY(IES) WITH WARNINGS	:			
	None Found	No warnings found on HPD Priority lists				
SUBSTANCE NOTES: Optional pigment. Only present in certain color options.						

C.I. PIGMENT BLACK 28				ID: 6818	6-91-4	
%: 0.0000 - 19.9200	GS: LT-UNK	RC: None	nano: No	ROLE: Pigment		
HAZARDS:	AGENCY(IES) WITH WARNING	AGENCY(IES) WITH WARNINGS:				
None Found	No warnings found on	No warnings found on HPD Priority lists				
SUBSTANCE NOTES: Optional pigment. Only present in certain color options.						

C.I. PIGMENT BLUE 36					ID: 68187-11-1	
%: 0.0000 - 17.3900	GS: LT-UNK	RC: None	nano: No	ROLE: Pigment		
HAZARDS:	AGENCY(IES) WITH WARNIN	AGENCY(IES) WITH WARNINGS:				
None Found	No warnings found on HPD Priority lists					
SUBSTANCE NOTES: Optional pigment. Only present in certain color options.						

NANO: No ROLE: Pigment				
AGENCY(IES) WITH WARNINGS:				
No warnings found on HPD Priority lists				

MOLYBDATE (MOO42#-),	CALCIUM (1:1), (T-4)-			ID: 7789-82-4		
%: 0.0000 - 0.3400	gs: LT-UNK	RC: None	nano: No	ROLE: Pigment		
HAZARDS:	AGENCY(IES) WITH WARNINGS:					
None Found	None Found No warnings found on HPD Priority lists					
SUBSTANCE NOTES: Optional	SUBSTANCE NOTES: Optional pigment. Only present in certain colors.					

NICKEL RUTILE YELLOW					ID: 8007-18-9
%: 0.0000 - 22.1100	gs: LT-UNK	RC: None	nano: No	ROLE: Pigment	
HAZARDS:	AGENCY(IES) WITH WARNINGS:				

No warnings found on HPD Priority lists

SUBSTANCE NOTES: This solvent will likely flash off during the baking/curing process, however, some may remain.

SUBSTANCE NOTES: Optional pigment. Only present in certain color options.

2-(2-BUTOXYETHOXY)ETHANOL							
GS: LT-P1	RC: None	nano: No	ROLE: Solvent				
AGENCY(IES) WITH WARNI	NGS:						
EU - R-phrases	EU - R-phrases		R36 - Irritating to eyes				
EU - GHS (H-Statem	EU - GHS (H-Statements)		H319 - Causes serious eye irritation				
TEDX - Potential End	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disruptor				
	GS: LT-P1 AGENCY(IES) WITH WARNI EU - R-phrases EU - GHS (H-Statem	GS: LT-P1 RC: None AGENCY(IES) WITH WARNINGS: EU - R-phrases EU - GHS (H-Statements)	GS: LT-P1 RC: None NANO: No AGENCY(IES) WITH WARNINGS: EU - R-phrases R36 - Irritating to eyes EU - GHS (H-Statements) H319 - Causes serious	GS: LT-P1 RC: None NANO: No ROLE: Solvent AGENCY(IES) WITH WARNINGS: EU - R-phrases R36 - Irritating to eyes EU - GHS (H-Statements) H319 - Causes serious eye irritation			

18-8 TYPE 304 STAINLESS FASTENERS

%: 0.0459 - 0.0459

HPD URL: No HPD Available

PRODUCT THRESHOLD: 1000 ppm

None Found

RESIDUALS AND IMPURITIES CONSIDERED: No

RESIDUALS AND IMPURITIES NOTES: Stainless steel scres are a commodity product and residuals or impurities may not be consistent.

OTHER MATERIAL NOTES: These are the fasteners that are used to assemble the product.

304 STAINLESS STEEL (304 STAINLESS STEEL)

ID: 12597-68-1

%: 100.0000 - 100.0000	GS: NoGS	RC: Both	NANO: No	ROLE: Fastener material			
HAZARDS:	AGENCY(IES) WITH WARNIN	AGENCY(IES) WITH WARNINGS:					
None Found	No warnings found or	No warnings found on HPD Priority lists					
SUBSTANCE NOTES: There is a varying amount of recycled content in this material.							

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

CERTIFYING PARTY: Self-declared

APPLICABLE FACILITIES: All

ISSUE DATE: 2017-10-

ISSUE DATE:2016-12-

13

EXPIRY DATE:

EXPIRY DATE: 2017-

12-01

CERTIFIER OR LAB: None

CERTIFIER OR LAB: International

Living Future Institute

CERTIFICATION AND COMPLIANCE NOTES:

MULTI-ATTRIBUTE

CERTIFICATE URL:

ILFI Declare - Red List Free

CERTIFYING PARTY: Self-declared

APPLICABLE FACILITIES: All products are manufactured at

our Delano, MN facility.

CERTIFICATE URL: https://access.living-

future.org/custom-aluminum-sunshades-kynar-finish

CERTIFICATION AND COMPLIANCE NOTES: Renewal of Declare label will include third party verification.



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

FASTENERS TO ATTACH PRODDUCT TO BUILDING **STRUCTURE**

HPD URL: No HPD available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

ILI does not provide the metal fasteners that attach our products to the building. Fasteners may be from a variety of materials and suppliers and depend on the application and substrate.



Section 5: General Notes

Notes related to consideration of residuals and impurities are included in material and substance notes. Hazard screening was completed through the HPD builder. Variations on the custom product and scope of the HPD are explained in the product title/description section.



Section 6: References

MANUFACTURER INFORMATION

MANUFACTURER: Industrial Louvers Inc.

ADDRESS: 511 South 7th Street

Delano Minnesota 55328, United States

WEBSITE: www.industriallouvers.com

CONTACT NAME: Lisa Britton

TITLE: Director, Sales & Marketing/Sustainability

Champion

PHONE: 7639727011

EMAIL: lisab@industriallouvers.com

OSHA MSDS

Occupational Safety and Health Administration Material Safety Data Sheet

GHS SDS

Globally Harmonized System of Classi cation and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

MAM Mammalian/systemic/organ toxicity

MUL Multiple hazards **NEU** Neurotoxicity

OZO Ozone depletion

PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive) **REP** Reproductive toxicity **RES** Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

LAN Land Toxicity

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspeci ed (insu cient data to benchmark)

LT-P1 List Translator Possible Benchmark 1 **LT-1** List Translator Likely Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient information

from List Translator lists to benchmark)

NoGS Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer

Unk Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.